

SEI

EST.
1957

PRODUCT & STOCK CATALOG

SUPER ELECTRICAL INSULATING CO.

Direct Importers & Chief Stockists of Electrical Insulation Materials
for Industrial, Government & Defence Projects

Nomex Paper

Kapton Film

Nichrome & Kanthal Wire

Fibre Glass

Switchgears

Testing Instruments

On the list of Government Undertakings · Electricity Board · Defence Projects · Dams



Govt. Approved

Listed supplier for undertakings,
electricity boards & defence
projects



CMRS Certified

Flame-proof equipment certified
by CMRS, Dhanbad



Since 1957

Trusted stockist of imported &
Indian electrical products

WHAT'S INSIDE

Our complete stock **organised by category** — insulating materials, cables & wires,
switchgears, testing instruments, lamps & fittings, and specialty imports —
for quick reference across every category we carry.

Since **1957**, Super Electrical Insulating Co. has served as a trusted, government-listed supplier of electrical insulation materials and components to industrial, defence, and public-sector projects across India — combining decades of specialist sourcing with an ever-growing stock of imported and Indian-made electrical goods.



INSULATING SHEETS & RODS



SPECIALTY CABLES



WIRE & COIL STOCK

Direct Importers

Nichrome, Eureka, Manganin, Kanthal & Tungsten wires · Nomex paper · U.V. lamps & tubes · Halogen & Sodium vapour lamps — sourced directly to guarantee quality and consistent supply.

Chief Stockists

Super enamelled & Tropodour cables, insulating materials, overhead line goods, switchgears, starters, electrical testing instruments, Teflon wire & tape, neon lamps, and varnished / unvarnished fibre glass cable cloth — held in depth, ready to dispatch.

Reliable House

for imported & Indian electrical products

All Types of H.R.C. Fuses

& accessories always in stock



Cables & Wires

50 PRODUCTS

Auto Cables upto 8mm size
(copper/PVC)

Armoured Elec. Power Cu./Alu. Cable,
650/1100V, 2-61 cores, 2.5-1000
sq.mm

Bitumen Compound for Cable Box,
11/22 KV

Butyl Rubber Cable, any core & size
C.T.S. Wire, copper (poly/PVC to PVC),
aluminium, various sizes

Cable Compound, 11 to 33 KV

Coaxial Cable, copper, PVC/Teflon

Coil Cord, telephone, different colours

Compensating Cable, any size

Control Cable, 1-61 core, 1.5-2.5
sq.mm (armoured/unarmoured)

Fibre Glass Covered Cable, any size

Flexible PVC Wire 1-4 core,
250/450V/660/1100V

Flexible Wires, single & twin twisted

Fibreglass Cord

Hook Up Wire (PVC), any size & colour

LT/HT Indoor/Outdoor Cable End Box,
10 to 625 sq.mm

LT/HT Straight Cable Box, 10 to 625
sq.mm

Low Frequency Pair Cables, for
telephone/telegram exchange

Microphone Shielded Cable

Multi Stranded Wire, copper/Al.

Nickel/Chromium Wire 80/20 to 30
SWG

PVC Al. Wire, PVC single/PVC to PVC,
twin core size 1.5mm² to 10mm²

PVC VIR 250V, various sizes

PVC Al./Cu. Wire, various size

PVC Cable

(underground/armoured/unarmoured),
2/3/4 core, any size

PVC Flexible Wire 1-12 cores,
250/450V 660/1100V

PVC Flat, light/heavy/super heavy wire

PVC Flexible Tinned Copper, 1-10 core
round wire

PVC Insulated Cables, flexible & multi
core, round, 250/440/650/1100V
grade, 1-4 core & twin twisted, 3.5 to
30 amp cap.

PVC Insulated Stranded Cu.
Conductor Wire, unsheathed,
250/660V

PVC Insulated Switch Board Cables

PVC Welding Cable, any capacity

PVC Insulated & PVC Sheathed

Workshop Flexible Wire

PVC Insulated Telephone Wire (tinned
copper), twin/flat/twisted

PVC Trailing Cable, with Cu.

conductor, 650/1100V, 3/4 cores, 6 to
35 sq.mm

PVC Weather Proof Al. Conductor, 1/2
cores

Polythene Insulated & PVC Sheathed
Feeder Wire (T.V. antenna wire), CTS
type

Shielded Cables, PVC insulated

Signal Cables, any size

Silicone Rubber Cable, any core & size
Submersible Flat Three Core Wire, any
voltage

T.R.S. Cables 2/3/4 core, 1100V grade

Teflon (P.T.F.E.) Insulated Wire &
Cables

Telephone Jumper Wire 20 to 25 SWG

Telephone Wire & Cable, upto 100
pairs

Telephone PVC


Armoured/Unarmoured Underground
Cable, upto 100 pairs

Tropodour Cables 650/1100V, 1-4
core, copper/aluminium

Trailing Cable, any core & size

Under Ground Cable,
armoured/unarmoured,
copper/aluminium

Welding Cable, upto 600 Amp, Cu./Al.



Cable & Wire Fittings

37 PRODUCTS

Bracket with Holder (iron & brass)
1/2" & 5/8"
Cable Gland, Siemens/flange type,
chromium-plated brass, 3/4" to 3"
Cable Markers (alphabetic &
numbers)
Cable Socket T.C. (lugs), 5 to 500 Amp
Ceiling Rose Bkt./Porc., 2/3 plate,
round/square, concealed/surface
Clip for Wiring (tin & brass)
Crocodile Clips, red & black
Flush Type Socket 5/15 Amp, 2/3 pin,
250V
Gang Plates/Box, upto 10 way
Joint Clip, tin 1" to 2.1/2", brass 1" to
3", aluminium 25mm to 80mm
Lugs (cable socket) 2A to 1000A,
Cu./Al.
Metal Clad Plug 2/3 pin, upto 200
Amps

Micro Terminal, with housing of elec.
polypropylene
Multiplug Unbreakable, 5/15 A, 2/3
pin
Nipple (male & female) 3/4" to 2.1/2"
PVC Connector 5/15A, 12 way
PVC Perforated Binding Strap
Panel Board Wiring, solid copper
conductor, 600V, 1.5mm² to 10mm²
Plastic Connector Strip, upto 12 way &
15 Amp
Plastic Terminal (red & black), 5/15A
Plug Top, 2 & 3 pin, 5/15 Amp
Porcelain Connector 5/15/30, 1-4 way
Power Plugs & Cable Clamps 5/15A,
1/2/3 poles
Reducing Socket (male & female), 1" x
3/4" x 2.1/2" x 2"
Reducing Coupling (male & female),

3/4" x 1/2" x 3" x 2"
Reducing Nipples (male & female),
3/4" x 1/2" x 2" x 1.1/2"
Reducer (male & female), 3/4" x 1/2" x
2.1/2" x 2"
Rubber Moulded Plug & Sockets
Socket Adopter 5 Amp, 250V
Socket 4 sq.mm to 240 sq.mm
Terminal Strips 1-16 way, any amp
Terminal Block 5 to 1000 Amps, upto
12 way
Weak Back Open Crimping Ferrules, 6
sq.mm to 625 sq.mm
Water Tight Bracket & Fittings,
brass/iron
White Urea Wall Plates & Boxes
Wiping Gland (for pilcdasta cable), 10
to 500mm
Wire Rope (steel), any dia



Copper & Super Enamel Wire

17 PRODUCTS

Bare Copper Wire, pure annealed
Copper Wire/Rods, round, 1–20 SWG
Copper Wire, soft/hard/electrolytic
Copper Clad Bkt. Sheet, single/double side, any size
Copper Flexible, round/flat strip
Copper Strip 1/16 to 4", electrolytic
Copper Wire 7/0 to 24 SWG, electrical

D.C.C. Wire (copper/AL) 1 to 40 SWG
Double Asbestos Cover Copper Wire, current rating 2/250 Amps
Double Silk Cover Enamelled Wire, any SWG
PVC Insulated Wire, with bare copper conductor, upto 4 core twisted
Polyester Base Insulated Winding

Wire, 28 to 52 SWG
S.C.C. (enamelled wire), any size
Super Enamelled (Cu./Al.) Wire, 8 to 51 SWG
Cotton/Paper Covered, fine/medium/thick, enamelled
Winding Machine, upto 4 coils
Winding Superenamelled Copper Wire



Resistance, Furnace & Thermocouple Wire

10 PRODUCTS

Chromel/Alumel Thermocouple Wire, any SWG
Copper/Constant Wire, for thermocouple
Kanthal Wire DSD/A/A-1-grade, any SWG

Manganin Wire, with D.S.C., 14 to 48 SWG
Nichrome Wire/Strip 8 to 50 SWG, white/oxydised, 80/20 composition
Platinum Plate, U.H.P.
Platinum Thermocouple Wire, purity

99.95%, 24 to 26 SWG
Resistance Wire 8 to 40 SWG
Thermocouple Bare Wire 10 to 30 SWG, 10% to 99.99%
Tungsten Wire (high temperature), any SWG



Conduit Pipe & Accessories

29 PRODUCTS

Ball Sockets, Aluminium, for conduit fitting

Conduit Bend, solid/inspection type, 5/8" to 2"

Conduit Elbow, solid/ins., 5/8" to 2"

Conduit Check Nut 5/8" to 2"

Conduit Saddle 5/8" to 2"

Conduit Junction Box, solid/ins., 3/4" & 1", 1-4 ways

Conduit Reducer, any size

Conduit Spacer 5/8" to 2" & 1-6 way

Conduit Pipe, 14-20 gauge, 5/8" to 2"

Conduit Tee 5/8" to 2" (solid/ins.)

Flexible Conduit Pipe 1/2" to 2"

G.I. Conduit Pipe 3/4" to 2"

G.I. Flexible Pipe 3/8" to 2"

G.I. Flexible Couplings 3/8" to 2" (12mm to 75mm)

M.S. Spacer 5/8" to 2", 1 to 6 way

M.S. Box, with cover & knockouts

PVC Bend 1/2" to 2"

PVC Coupling 20/63mm

PVC Check Nut 1/2" to 2"

PVC Elbow 20mm to 63mm

PVC Flexible Pipe 1/2" to 3"

PVC Saddle 5/8" to 2"

PVC Junction Box 5/8" to 2.1/2"

PVC Conduit Pipe 1/2" to 2"


PVC Tee 20mm to 63mm

Plica Pipe 1/2" to 3"

Schangler PVC Corrugated Tube, upto 3"

Steel Conduit 5/8" to 2" dia x 10' length

Tee Inspection 1/2" to 3"



Insulating Materials

50 PRODUCTS

Acrylic Sheet 1/16" to 4"	Empire Cloth, yellow/black, 5/7/10 mils	Insulating Sleeving (Empire/cotton), unvarnish/varnish/F.G./PVC
Acrylic Rod 6 to 50 mm, imported	Empire Sleeving 0.05 to 25 mm	Insulating Black Cotton Tape 1/2", 3/4", 1", 10 & 25 mtrs. length
Asbestos Tube, Sheet & Thread	Epoxy & Polyester Resins & Compound Enamel Remover	Insulating Varnish, golden/black, 1/5/20 Lts
Asbestos Tape, any size	Fibre Glass Mica Sheet .005" to .040" thick	Kapton Non-Adhesive Tape, any size
Black Cambric Tape 1/2" / 3/4" / 1"	Fibre Vulcanised Sheet 1/64" to 3/4"	Kapton Adhesive Tape, any size
Black Adhesive Tape 1/2" 3/4" 1"	Fibre Glass/Cloth, any thickness	Kapton Film, any thickness
Bobbin Insulator, various sizes	Fibre Glass Tape 1/2" to 2"	Leatheroid Paper, imported, 5/7/10/15 mils
Cello Tape 1/2" to 1" x 10 to 66 mtrs.	Fibre Glass Tubes & Sleeving, 0.5 to 25mm, varnished/unvarnished	Leatheroid with Polyester Film (plastic coated), 5 to 30 mils
Cotton Tape 1/2" to 1", No.101/301/501	Fibre Sheet 0.4 to 25.4mm thick	Leatheroid Sandwich Type, 5 to 30 mils
Craft Paper, any thickness & width	Fibre Rod 8" to 36", 3/16" to 1.1/2" dia	Melinex Paper, clear/milky, 2 to 30 mils
"E" Class Insulating Paper (Melinex) 2 to 30 mils	Fibreglass Epoxy Laminated Sheets, any size	Mica Washers
Ebonite Sheets/Tubes, any thickness & dia	Fibreglass Cloth, teflon coated, any thickness	Mica Dust
Ebonite Rods 1/4" to 2"	Glass Mica Tape 1/2" to 1", any length	Mica Folium
Electrical Tape, B/H/F class	Hylam Sheet/Paper & Fabric Base, any size	Mica Tubes, round/square, 1/4" to 1"
Elec. Insulation Remover, to work on 230V Cs.	Hylam Tubes, Rods, any size	Mica Tape (paper or silk back), 1/2" to 1", class B & F/H
Elephantide Sheet, imported	Insulating Paper, Presh Pahan & Leatheroid	Micanite Sheet 20" x 40", moulding/hard
Empire Silk Cloth & Tape, any size		
Empire Tape 1/2" to 1" (50 mtrs. length)		

Insulating Materials (cont'd)

50 PRODUCTS

Moleskin Cloth (plumbing)	Polyester Film, clear/milky, 2 to 40 mils	Split Insulators, with brass pin, single/double, 5/15 Amps
Manila Craft & Crepe Papers	Porcelain Beads, 1–13 nos, imported	Strain Insulator, Porcelain
Nomex Paper 2, 3, 5, 7, 10 mils	Porcelain Tube, any size & dia	Syndanio Sheets & Rod 1/6" to 2", Sweden made
Nomex/Polyester/Nomex Paper 0.22 to 0.4mm	Preshpan Paper 2 to 60 mils, imported	Super Fine Cotton Tape, any size
Nylon Tape 1/2" to 2"	PTFE Teflon Sleeving Tape, any size	Teflon Rod, size 12" long, any dia
Nylon Rod 1" to 6"	Press Boards, any thickness	Teflon Sealent Tape, in 10 mtrs roll, 1/2" to 1"
Nylon Tape, any size	Red Fibre Rods, any dia & length	Teflon Sheet, size 12" x 12"
Oil Paper 5 to 60 mils thick	Refractories, with lock open slot, 7/8" x 1 to 4 x 3"	Teflon (P.T.F.E.) Insulated Fibre Glass Cloth & Tape
PVC Adhesive Elec. Tape 1/2" to 1"	Regid PVC Sheet 1 x 2 mtrs, 1.5 to 19mm thick	Teflon Tubings, any dia & length
PVC Heat Sealing Tapes, red/black/green/blue/yellow, any width & length	Rubber Tape, "Million", made in Japan	Triflexil Paper 2, 3, 5, 7, 10, 15 mils
PVC Sleeving, assorted colours, 1 to 50mm	Ruby Mica Block 4" x 4" to 12" x 12"	Teflon Adhesive Tape, any size
PVC Tapes, transparent/coloured, 1/2", 3/4", 1" width	SRBP Round Tube 3.1 to 17.5mm, I.D. 1/8" to 11/16"	Teflon Coated Fibreglass Cloth, any thickness
Perspex Acrylic (transparent) Rods, any size	Screw Driver, insulated (electrician)	Varnish, amber/black/clear/golden
Perspex Sheet (transparent), any size	Sheet Metal Boxes, any size	Varnished Paper 40 mils thick
Plastic Compound (Hennley)	Silica Tubes, for high temp	Varnished Silk Cloth 3, 4, 5, 7, 10 mils
Plumbing Moleskin Cloth, imported	Silicon Varnished Tapes 0.08 to 0.25 thick, 1.2" to 1.2"	Water Proof White Tape, 0.5 to 25mm
Poly Propylene Sheets		Webbing Tape, any size



Bakelite Accessories

15 PRODUCTS

Adopter Bkt. 5 Amp. 250 V.

Bkt. Bushes (male & female thread)
5/8" to 2"

Bkt. (paper/fab.) Sheet, 1mm to 4"

Bkt. rod 1/4" to 4", paper/fabric base

Bkt. tubes 1/8" to 3", round/square
bore

Bkt. Connector 5/15 Amp, 12 way

Bkt. Junction Boxes

Bkt. Wall Plate & Junction Boxes

Connector Bkt. & Porc., 5-30A, upto
12 way

Iron Connector 5 or 15 Amp
(Bkt./Porc.)

Male Female Bkt. 5 Amps, 250V

Power Plug & Socket, Bkt./I.C./M.C.,
upto 100A

Socket 2/3 pin, 5/15 Amp, Bkt. & Porc.

Strip Connectors 5/30A, PVC/Bkt.,
upto 12 way

Wall Socket, Bkt./Porc., 5/15 Amps



Switchgears

64 PRODUCTS

Air Break Contactors 6/10/15/30/40/A
LT/LK, Siemens make, size 1/2/4/8
Bkt. Cut Out 5 Amp, 250 Volt
Bed Switch (hexagonal/flush type)
Bottle Type Cartridge Fuse, 1 to 100A
Bus Bar Chamber & Supporter, 3/4"
bar, 30V/500A, 12"x10"x4" to any size
Cartridge Fuse, bottle & HRC, 2 to
200A
Centrifugal Switch, F.H.P., 1440 & 2880
rpm
Changeover Switch, 15A to 600A
Contactor, any size, amps & voltage
Control Master Switch, 15A 250V
Cut Out Bkt. & Porc., plain / brown-
white (iron clad)
D.P. Switch with indicator (Bkt./Porc.)
Distributing Fuse Board 1-12 way, 15
to 300 A
Dix (10K) push & pull type switch
Door Switch 5 Amp, 250 Volts
Electro Magnetic Relays AC/DC
2/3/5/10/25 Amps
Flush Type Switch & Socket combined,
5/15A 2/3 pin
Flush Type Switch 1 or 2 way, 5/15
Amps
Float Switch
Foot Switch 3/5/15A, light/heavy duty
type
Fuse Links, upto 1000 Amps, 600V
Fuse Elements, upto 33 KV, J&P make

Fuse Unit Carrier & Base 15 to 300A,
bakelite & porcelain
Fuse Wire 1 to 50 SWG, tinned/silver
copper
Glass Cartridge Fuse 230/250V, upto
100 M.A. to 50 Amp
H.R.C. Fuse Holder 15/30/60/100 Amp
H.R.C. Fuse "English Electric", LT/LK,
Siemens, 15 to 300A
Heat Control Box & Switch
Inter Lock Switch 5/15 Amp, 250V
I/C Switch/Fuse DP, TP, 15A to 1000A
Isolator DP or T.P.N. Switch 15/500A
Kit-Kat Fuse Porc. 15A to 300A, HC or
MEM type
Knife Switch 15A to 1000A,
S.P./D.P./T.P.
Lead Fuse Wire 0.5A to 100A
Limit Switches, Siemens/LTLK
Linked Pole Switch, water tight, 5/15
Amp
Loom Switch 5/15 Amp, 250V
Mercury Switch, single way, 5A 250V
Micro Control Switch, metal clad/Bkt.
Miniature Circuit Breakers,
single/double & triple pole, 0.5 to 60A
Piano Type Switch 5/15 Amp,
110/250V
Porcelain Base Switch, round/square,
5/15 Amp
Porcelain Cut Out 15-1000A,
250/500V

Porcelain Fuse Base & Carrier, 15-
300A
Pressure Switches 6A, cutin/cutout
Pull & Push Type Main Switch (Porc.
15A), any range
Push Button Switches & Station, 2A,
250/440/500V
Radio-Dix 5 Amp, nickel/brass parts
Reverse Forward Switch 5/15 Amp,
single/3 phase
Reversing Switch 5/15A, SP/3 PH
Rotary Switch (upto 8 way), German
make, S.P./T.P., 10/500A
S.P. Switch (flush type, 1/2 way),
concealed/round/oblong
Slow Blow Glass Fuse 2 Amp
Slyd Lock Fuse, side/back connection
Switch Board T.W. Double, with base
Switch Bkt. & Porc. Base, 5A & 15A
Switch ICTP & DP, 15A to 600A,
250/600V
T.C. Fuse Wire 15 to 40 SWG
Ten-K Dix, nickel/brass parts
Thermal Switch, any amp & voltage
Tinned Copper Fuse Wire, 1 to 100A
Toggle Switches 5/15A, AC/DC,
SP/DP/TP
Voltage Selector Switch
Water Tight Switch 5A & 15A,
Bkt./Porc.




Starters & Spares

13 PRODUCTS

Bimetal Overload Relays, any range
Direct On Line Starter, any range
Fixed Finger Contact, upto 100 HP
Moving Drum Contact, upto 100 H.P.
No Volt Coil, for D.O.L.

Overload Thermal Relay, for starter
Push Button Starter (D.O.L.), any range
Relay, for over tripping (starter)
Spares for OSR Starter

Spares Kit for A.B. Contactor
Star Delta Starter 5 to 20 HP, manual/automatic/oil immersed
Starter Sheet, Bkt. & white urea
Tubelight Starter 20/40W, 110/250V




Battery Charger & Eliminator

7 PRODUCTS

Battery Tester (Hydrometer)
Battery Charger 6/12/25 Volts
Battery Eliminators, any amp &

voltage
Battery Holder (Mes.) Pendant/Batten
Batteries for Emergency Light, Exide 6V.

Bulldog Clips, 15 Amp, for battery
Emergency Light with Battery



Lamps, Tubes & Fittings

69 PRODUCTS

Auto Lamp, any amp/volt, union make
 Angle Batten Holder, Bkt. or Brass
 Ballast 80/125/250/400/1000W & 230/250V
 Batten Holder (Bkt.) Brass & Porc.
 Blue Actinic Tube for printing, 2' to 5'
 Bulb (clear, frosted, colour & milky)
 Capacitors for Fluorescent Tube, 3.15–20.0 MFD
 Carbon Filament Lamp, upto 100 CP
 Choke (Ballast) 20 to 1000W, tapped/250V
 Decorative Tubelight Fitting 20/40W
 Dial Lamp, any amps & volts
 Enamelled Iron Shade, conical shape
 Festoon Indicator Lamps, any voltage
 Flag Indicator, any number or ways
 Flood Light Fittings & Glass, any size
 Fluorescent Tube 6" to 5" (10 to 80W)
 Fluorescent Tube Holder, lock/rotter type
 Flush Type Indicator, red-green-yellow
 Frosted Lamp 0W, 230V
 Halogen Lamp, any length, 250V
 Hand Lamp (Bkt./rubber handle)
 Holder 2/3 pin, Bkt./Porc./Brass
 Halogen Lamps, any wattage, 12 to 250V
 Halogen Lamp Transformer, any

wattage & voltage
 Indicating Lamp, BC or SC
 Industrial Tube Light Fitting 2', 4' & 5'
 Infra Red Lamp & Stand 2500W, 250V
 Jewel Light Unit (red, black, green, blue, yellow)
 Lamp MV/HP, upto 1000W
 Lamp BC, ES, SMBC, MES, 2.5 to 250V
 Lamps (clear, frosted, coloured, milky), 110/230/250 volts
 Lamp Holder, Bkt./Porc./Brass, BC/ES
 Lamplock (key or spring type)
 M.V. Ballasts 80/125/400W, tapped, 14 to 48 SWG
 Mercury Vapour Lamp 80 to 1000W, 250V
 Miniature Auto Bulbs 6, 12, 24V
 Miniature Holder, PVC or Bkt., BC/ES
 Miniature Lamp 3, 6, 9, 12, 16V, MBC/MES, clear/colour
 M.L.L. Blanded Lamp 160W, 230/250V
 Neon Jewel Light 6 to 250 volts
 Neon Lamps (OM/Swastik/Cross), 0 watts
 Neon Discharge Lamps, 0W to 250V
 Neon Indicator Light 250V, BC/ES
 Neon Rods/Tubes
 Night Lamp 250V, 0 watts
 Oblong Bulk Head Fitting, suitable for any lamp BC/ES

Outdoor Street Light & Flood Light Fitting
 Parabolic Reflector (short focus)
 Pigmy Lamp BC/ES, 5/15W, 110/250V
 Pilot Lamp & Holder, various sizes
 Polyester Filled (H.D.) Chokes, Al./Cu.
 Porcelain Lamp Holder, Batten Pendent, BC/ES
 Projector Bulbs, upto 1000W, 6 to 250V
 Radio Lamps, round/tubular
 Reflector Lantern 80/400W (M.V. discharge lamp)
 Reflector, any size
 Search Light Lamp, any amp & volts
 Signal Indicator 1–6 way, 250V, 50 c/s
 Sodium Vapour Lamp, with jacket, 65W
 Stage Focus Light
 Starter 20W, 40, 80W, 250V, 2/4 pin
 Street Light Fitting, single/twin
 S.V. Lamp, any wattage & voltage
 S.V. Ballast, any wattage & voltage
 Tail Lamp 6/12V, 0.6 to 36W
 Telephone Switch Board Lamp 24V
 Tubelight Holder, lock/rotor type
 Ultra Violet Lamp & Tubes
 Ultra Violet Tube Fittings



Bell, Buzzer & Siren

7 PRODUCTS

Bell Indicator, flag or lamp type
Bell Push Switch, round/flush type

Buzzer & Bell, round or square,
6/100/230V
Gong Bell 4", 9", 12" – 230/250V

Hooter (Indl.) 4" & 6" (6 to 250V)
Musical Chime, 250 volts
Siren 1 to 10 miles, horizontal/vertical



Domestic Appliances & Heaters

31 PRODUCTS

Automatic Heating Element 500 to 3000W
Air Heaters 1/2 to 20 KW, any length
Cartridge Heaters 5/8", 3/4" dia
Electric Hot Plate, with temp. control
Electric Kettle 2/3 & 5 pint, 1 to 3 KW
Element for Kettle, Escort make, 1 to 2 KW
Finned Air Heater 1000 to 1500W
Geyser (vertical/horizontal type), 1 to 6 KW
Heater Element 100 to 3000W
Heater for Chromic & Sulphuric Acid
Heater Industrial 1000 to 6000W

Heater Oil Immersion 1000 to 4000W
Heating Tape, flexible, any watts & width
Hot Plate (single/double) 500W to 1500W, with temp. control
Immersion Heater 250 to 3000W
Iron 450W (auto/non-auto)
Lead Covered Heater, for chromic & sulphuric acid
Oil Immersion Heater 1000/9000W
Oven 600 to 1200W, 250/500V
Porcelain Plate, for elec. heater, any dia
Porcelain Tubular Element 5/8" dia,

1000W
Ring Element 350 to 1750W
Room Heater 1000W, 250V
Silica Cased Heaters 1000/3000W
Simmerstat (Sunvic type)
Strip Element 325 to 1200W
Strip Heaters 400 to 1200W, 250V, 9" to 33" length
Storage Water Heaters, with tank, 80 to 100 ltrs.
Thermostat (English), upto 600V
Toaster, automatic, 2 or 4 slice
Water Heaters (commercial 500 to 6000W, indl. 2000 to 12000W)



Fans & Motors

14 PRODUCTS

Air Circulators (Ind. type sweep)
Blowers 1" to 56" W.G., 1/4 to 50 H.P.
Capacitors for Fan, 1.5–2.5 MFD,
motors 4–36 MFD
Carbon Brush, any size & grade

Carbon Plate, imported, 1/2" to 1.1/2"
Fan Pedestal/Table 16", Cabin
Fan Ceiling 36", 42", 48", 56" & 60"
Hot Air Blowers, with attachment
Motor 0.25 to 100 H.P.

Motor Generator Set, AC/DC
Motor Starter, D.O.L. or star delta
Motor Starting Condenser 0–300 mfd
Motor Terminal Block 4/5/6/8 stud
Regulator, for fan, upto 60"



Flame Proof Accessories

6 PRODUCTS

Asbestos Covered Copper Wire, flame
proof
Bulk Head Fitting (round/oblong —
prismatic/flat/flame proof)

Flame Proof Bulkhead Fitting &
Switches
Flame Proof Bend, Elbow, Junction
Box

Flame Proof Cable & Wire, Cable
Gland
Flame Proof Starter D.B., Isolator,
Switch & Cable



Overhead Line Materials

27 PRODUCTS

A.C.S.R. Conductor, various sizes
 C.I. Earth Plates 1/4" & 1/2"
 Cable Box H.T.
 (outdoor/indoor/straight)
 Cable Dividing Box (LT-HT), 25 to 600 mm
 Copper Earthing Clip 5/8" to 2"
 Drop Out Fuse 11 to 33 KV
 Earthing Clamp/Clip 5/8" to 2" (copper)
 Earthing Plate, G.I./copper, any size
 Earth Tester, portable, 0 to 100 ohms
 G.I. Stay Wire, any size

G.O.D. Airbreak Switch, 11 to 33 KV
 H.T. Earthing & Discharging Rod
 H.T. Cable Joint Box 25 to 625 sq.mm
 Hand Rubber Gloves, pair, 11/22 KV
 High Tension Para Tape 11 KV, 19mm width
 LT/LT Remote Control Unit, push button/rotary/lock type
 LT Plastic Compound
 LT Porcelain Pin/Shackle Insulators, various sizes
 LT/HT Tee Type Boxes, 10 to 625 sq.mm

Lighting Arrestor 11/22/33 KV
 Operating Rod 11, 22 & 33 KV
 Overhead Line Materials 1 to 100A, 11/22/33 KV
 Para Tape 11KV, tested, 3/4"
 Pin Insulator, upto 33KV, with hardware
 Rubber Gloves, pair, shock proof, 11/22 KV, any length
 Rubber Mat (electrical grade), upto 33KV, checkered
 Shackle Insulator, upto 33KV



Testing & Measuring Instruments

28 PRODUCTS

Ammeter AC-DC 0 to 5000A, any dial size
 Ammeter Selector Switch, any range
 C.T. for Ammeter, bar type
 Clip-on Ammeter / Tong Tester
 Connector Line Tester
 Dial Thermometer, any range
 Digital Volts/Amps/Ohms Meter
 Digital Technometer
 Energy Meter AC or DC, 5 to 50 Amp (KWH), S.P. 3 phase

Frequency Meter, indicating reed type
 Galvanometer 15-0-15, 30-0-30 G.
 Hydrometer "Victor", made in U.S.A.
 Insulating Tester, upto 5000 megaohms
 K.W.H. (Energy) Meter, single/3 phase
 Line Tester (Philips) or other make
 MI/MC Ammeter/Voltmeter, any range
 Megger (insulation tester), 500/1000V, 5000 megohms
 Mili/Micro Volt/Ammeter, AC/DC

Multi-Meter, digital electronics
 Oblong Meter Shunt/Series type
 Panel Meters, any size & range
 Phase Sequence Indicator, 3 phase, 250V
 Power Factor Meter, single 3 phase
 Techometer, imported, digital
 Test Prods, for measuring instrument
 Tong Tester 0 to 1000A, 600V
 Voltmeter AC/DC, various dial, 0-600V
 Watt Meter, single/3 phase, any range



Soldering Materials

16 PRODUCTS

Aluminium Flux, 110 gms. bottle
Aluminium Solder Stick, Alca (P) brand
Copper Bit, for soldering iron
Fluxite (copper) 500 gms tin
Lead 100% (pure)
Plumbing Solder (white metal)

Rasin Flux (500 gms tin), for copper
Resin Cord Solder 8 to 24 SWG, wire
40/60, 50/50, 60/40 tin/lead
Soldering Al. Tubular Cable
Soldering Flux, Cu./Al.
Soldering Gun Electric 100/125V, 250V

Soldering Iron 15 to 1000W, 250V
Soldering Sticks, 10% to 100% tin
Soldering Wire 10 to 24 SWG, 3 core
Tin 100% (pure)
Wiping Cloth




Wooden Fitting Articles

5 PRODUCTS

Cassing Capping (wooden & PVC),
1.1/2" x 1/2" or 5/8"
T.W. Batten 1/2" to 2", varnished

T.W. Boards, square & oblong,
polished

T.W. Causing Capping 1.1/2" x 1/2" or
5/8"
T.W. Round Block 3" x 3.1/2", 4" x 1"



Industrial Components

21 PRODUCTS

Auto Transformer, continuous
variable type
Auto Step Down Transformer
230/110V
Brass Teakas (pkt. 400 gms) 1/2" x
16G
C.R.G.O. Stampings, E & I shape
Condenser (paper & electrolytic) 2 to
33 mfd
Corrosion Inhibiting Compound,

Dowells
Dimerstat (auto transformer type)
Energy Regulators, imported, 15A
200/250V grade, 100 div.
Full Wave Bridge, metal rectifier
Paper Capacitor 1 to 36 mfd,
250/400V
Potential Transformer, any range
Rawl Plugs, any length, any numbers
Rectifiers, for electro plating

Selenium Rectifier Bridge
Shunt Capacitor, upto 1000 HP
Silicon Diodes
Starting & Running Capacitor,
imported, 400V, 2 to 100 mfd
Timers 15/30/60/100 minutes range
Transformer, any voltage, step
up/down
Transformer Stamping, E & I shape
Voltage Stabilizer, AC/DC

Every item in our product directory falls into one of these stock categories



Battery Charger & Eliminator



Bakelite Accessories



Bell, Buzzer & Siren



Cables & Wires



Cable & Wire Fittings



Conduit Pipe & Accessories (C.I. & P.V.C.)



Copper & Super Enamel Wire



Domestic Appliances & Heaters



Fans & Motors



Flame Proof Accessories



Industrial Components



Insulating Materials



Lamps, Tubes & Fittings



Overhead Line Materials



Resistance, Furnace & Thermocouple Wire



Soldering Materials



Starters & Spares



Switchgears



Testing & Measuring Instruments



Wooden Fitting Articles

Reliable House

for imported & Indian electrical products

All Types of H.R.C. Fuses

& accessories always available

FROM OUR STOCK



FIBRE GLASS TAPE




WIRE SPOOLS



INSULATING TAPES



VARNISH & RESIN



A customer is the most important visitor on our premises.
He is not dependent on us. We are dependent on him.
He is not an interruption on our work — he is a part of it.
We are not doing him a favour by serving him —
he is doing us a favour by giving us an opportunity to do so.

GET IN TOUCH

022-2344 5306

super23445306@gmail.com · 289-91 Nagdevi Street, K.K. Mansion, Mumbai – 400 003