

E-mail: super23445306@gmail.com

E-mail: superelectrical@yahoo.com

E-mail: super23445306@gmail.com

Gram : CONDENSER
Chinchbunder, Bombay-400 003

ESTD : 1957

TELEPHONE : 2344 53 06

TELEFAX : 022 -2344 53 06

On the List of Govt. Undertaking/Electy. Board/Defence Project/DAM etc.

Ph, 23445306

FAX; 022-2344 53 06

SUPER ELECTRICAL INSULATING CO.

DIRECT IMPORTERS : NICHROME/EUREKA/MANGANIN/KANTHAL & TUNGSTON WIRES,
NOMEX PAPER/U.V. LAMP & TUBES, HALOGEN & SODIUM VAPOUR LAMP

CHIEF STOCKIST OF SUPER ENAMELLED, TROPODUR CABLES, INSULATING MATERIALS,
OVERHEAD GOODS, SWITCHGEARS, STARTERS, ELECTRICAL TESTING INSTRUMENTS, TEFLON WIRE,
TAPE, NEON LAMPS, FIBER GLASS CABLE CLOTH, TAPE VARNISHED/UNVARNISHED

289-91, Nagdevi Street, K.K. Mansion, B O M B A Y - 400 003.

LIST NO : 1111/02-03/SEICO

LIST OF THE ITEMS STOCKED BY US

: A :

ACRYLIC SHEET 1/16" to 4"
ACRYLIC ROD 6 to 50 mm IMPORTED
ADOPTER BKT. 5 Amp. 250 V.
AIR CIRCULATORS (IND. TYPE SWEEP)
AIR BREAK CONTACTORS 6/10/15/30/40/A
LT/LK, SIEMENS MAKE Size 1/2/4/8
A.C.S.R. CONDUCTOR VARIOUS SIZE
ALUMINIUM FLUX 110 grms. BOTTLE
ALUMINIUM SOLDER STICK ALCA (P) BRAND
AMMETER AC-DC 0 to 5000A. ANY DIAL SIZE
ASBESTOS COVERED COPPER WIRE FLAME PROOF
ASBESTOS TUBE, SHEET, THREAD.
AUTOMATIC HEATING ELEMENT 500 to 3000W.
AUTO LAMP ANY AMP/VOLT UNION MAKE
AUTO CABLES UPTO 8mm SIZE (COPPER/PVC)
AUTO TRANSFORMER CONTINU. VARIABLE TYPE
AVO METER (AMP. VOLT & OHMS) MOTWANE
AUTO STEP DOWN TRANSFORMER 230/110V
ARMOURED ELE. POWER Cu./Alu. CABLE -
- 650/1100V. 2 to 61 Cores 2.5 to 1000 sq.mm
AIR HEATERS 1/2 to 20 KW (ANY LENGHT)
AMMETER SELECTOR SWITCH FOR ANY RANGE
ASBESTOS TAPE (ANY SIZE)
ANGLE BATTEN HOLDER BKT. OR BRASS

: B :

BALLAST 80/125/250/400/1000W & 230/250V
BKT.BUSHES (MALE & FEMALE THREAD)
- 5/8" to 2"
BKT. (PAPER/FAB.) SHEET 1 mm to 4"
BKT. (-do-) ROD 1/4" to 4" PAPER/FABRIC BASE
BKT. (-do-) TUBES 1/8" to 3"
Inside Bore (Round/Square)
BKT. CONNECTOR 5/15 AMP. 12 WAY
BKT. CUT OUT 5 AMP. 250 VOLT
BKT. JUNCTION BOXES
BKT. WALL PLATE & JUNCTION BOXES
BALL SOCKETS ALUMINIUM FOR CONDUIT FITTING
BARE COPPER WIRE (PURE ANNELED)
BATTEN HOLDER (BKT.) BRASS & PORC.)
BATTERY TESTER (HYDROMETER)
BATTERY CHARGER 6/12/25 VOLTS
BATTER ELEMINATORS ANY Amp. & VOLTAGE
BATTERY HOLDER (MES.) PENDENT/BATTEN
BATTERIES FOR EMERGENCY LIGHT EXIDE 6V.
BED SWITCH (HEXAGONAL/FLUSH TYPE)
BELL INDICATOR FLAG OR LAMP TYPE
BELL PUSH SWITCH ROUND/FLUSH TYPE

: B :

BIMETAL OVERLOAD RELAYS (ANY RANGE)
BITUMAN COMPOUND FOR CABLE BOX 11/22 KV
BLACK CAMBRIC TAPE 1/2" / 3/4" / 1"
BLACK ADHESIVE TAPE 1/2" 3/4" 1"
BLOWERS 1" to 56" W.G. 1/4 to 50 H.P.
BLUE ACTINE TUBE FOR PRINTING 2' to 5'
BOBIN INSULATOR VARIOUS SIZES
BOTTLE TYPE CARTRIDGE FUSE 1 to 100A
BRACKET WITH HOLDER (IRON & BRASS) -
- 1/2" & 5/8"
BRASS TEAKAS (PKT. 400 gms) 1/2" x 16G
BULLDOG CLIPS 15 AMP. FOR BATTERY
BULB (CLEAR FROSTED, COLOUR & MILKY)
BULK HEAD FITTING (ROUND OR OBLONG)
- (PRISMATIC/FLAT/FLAME PROOF)
BUS BAR CHAMBER & SUPPORTER (3/4" Bar -
- 30V/500A - 12"x10"x4" to ANY SIZE
BUZZER & BELL ROUND OR SQUARE 6/100/230V
BUTYL RUBBER CABLE (ANY CORE & SIZE)

: C :

CAPACITORS FOR FAN MFD. 1.5 to 2.5 -
- Motors 4 to 36 MFD.
CAPACITORS FOR FLOURESCENT TUBE -
- 3.15 to 20.0 MFD.
CARBON ROD 1/4" to 6"
C.R.G.O. STAMPINGS E & I SHAPE
C.T.S. WIRE COPPER (Polly to PVC/PVC to PVC)
- ALUMINIUM. VARIOUS SIZES.
C.I. EARTH PLATES 1/4" & 1/2"
C.T. FOR AMMETER BAR TYPE
CABLE BOX H.T. (OUTDOOR/INDOOR/STRAIGHT)
CABLE GLAND SIEMENS/FLANGE TYPE WITH
CHROMIUM PLATING (BRASS) 3/4" to 3"
CABLE COMPOUND 11 to 33 KV
CABLE DIVIDING BOX (LT-HT) 25 to 600 mm
CABLE MARKERS (ALPHABETIC & NUMBERS)
CABLE SOCKET T.C. (LUGS) 5 to 500 Amp.
CARBON FILAMENTS LAMP UPTO 100 CP
CARBON BRUSH ANY SIZE & GRADE
CARBON PLATE IMPORTED 1/2" to 1.1/2"
CARTRIDGE HEATERS 5/8", 3/4" Dia
CARTRIDGE FUSE BOTTLE & HRC 2 to 200A
CASSING CAPPING (WOODEN & PVC) -
- 1.1/2" x 1/2" OR 5/8"
CEILING ROSE BKT./PORC. 2/3 PLATE -
- ROUND/SQUARE CONCEALED/SURFACE

E-mail: super23445306@gmail.com

E-mail: superelectrical@vsnl.net

FAX : 022-2344 53 06

:: 2 ::

Ph. 23445306

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

TELEPHONE : 2344 53 06
TELEFAX : 022 -2344 53 06

: C :

CELLO TAPE 1/2" to 1" x 10 to 66 mtrs.
CENTRIFUGAL SWITCH F.H.P. 1440 & 2880 Rpm.
CHANGEOVER SWITCH 15A to 600A
CHOKE (BALLAST) 20 to 1000W TAPPED/250V
CHROMEL/ALUMEL THERMOCOUPLE WIRE ANY SWG
CLIP FOR WIRING (TIN & BRASS)
CLIP ON AMMETER/TONG TESTER
COAXIAL CABLE COPPER PVC/TEFLON
COIL CORD IN DIFF.COLOURS (TELEPHONE)
COMPENSATING CABLE ANY SIZE
CONDENSOR (PAPER & ELECTROLYTIC) 2 to 33 mfd
CONDUIT BEND SOLID/INSPECTION TYPE 5/8" to 2"
CONDUIT ELBOW SOLID/INS. 5/8" to 2"
CONDUIT CHECK NUT 5/8" to 2"
CONDUIT SADDLE 5/8" to 2"
CONDUIT JUNCTION BOX SOLID/INS. -
- 3/4" & 1", 1 to 4 WAYS
CONDUIT REDUCER (ANY SIZE)
CONDUIT SPACER 5/8" to 2" & 1 to 6 WAY
CONDUIT PIPE 14 to 20 Gauges 5/8" to 2"
CONDUIT TEE 5/8" to 2" (SOLID/INS)
CONNECTOR LINE TESTER
CONNECTOR BKT. & PORC. 5 to 30 A UPTO 12 WAY
CONTACTOR ANY SIZE, AMPS, VOLTAGE
CONTROL MASTER SWITCH 15A 250V
CONTROL CABLE SIZE 1 to 61 CORE -
1.5 to 2.5 sq.mm (ARMOURED/UNARMOURED)
COPPER WIRE/RODS ROUND 1 to 20 SWG
COPPER BIT FOR SOLDERING IRON
COPPER/CONSTANT WIRE FOR THERMOCOUPLE
COPPER WIRE SOFT/HARD/ELECTROLYTIC
COPPER CLAD BKT. SHEET -
- (SINGLE/DOUBLE SIDE) ANY SIZE
COPPER EARTHING CLIP 5/8" to 2"
COPPER FLEXIBLE ROUND/FLAT STRIP
COPPER STRIP 1/16 to 4" ELECTROLYTIC
COPPER WIRE 7/0 to 24 SWG ELECTROLYTIC
CORCODILE CLIPS RED & BLACK
CORROSION INHIBITING COMPOUND DOWELLS
COTTON TAPE 1/2" to 1" No.101/301/501
CRAFT PAPER ANY THICKNESS & WIDTH
CUT OUT BKT. & PROC. (IRON CLAD)
CUT OUT BKT. BROWN/WHITE & PROC. (IRON CLAD)

: D :

D.C.C. WIRE (COPPER/AL) 1 to 40 SWG
D.P. SWITCH WITH INDICATOR (BKT./PORC)
DECORATIVE TUBELIGHT FITTING 20/40W
DIAL LAMP ANY AMPS. & VOLTS
DIAL THERMOMETER ANY RANGE
DISTRIBUTING FUSE BOARD 1 WAY to 12 WAY -
- 15 to 300 A
DIX (10K) PUSH & PULL TYPE SWITCH
DOOR SWITCH 5 Amp. 250 Volts
DOUBLE ASBESTOS COVER COPPER
WIRE CURRENT RATING 2/250 Amps.
DOUBLE SILK COVER ENAMELLED WIRE ANY SWG
DROP OUT FUSE 11 to 33 KV
DIGITAL VOLTS/AMPS/OHMS/METER
DIGITAL TECHNOMETER
DIMERSTAT (AUTO TRANSFORMER TYPE)
DIRECT ON LINE STARTER ANY RANGE

: E :

"E" CLASS INSULATING PAPER (MELINEX) -
- 2 to 30 mils.
EARTHING CLAMP/CLIP 5/8" to 2" (COPPER)
EARTHING PLATE G.I./COPPER ANY SIZE
EARTH TESTER PORTABLE 0 to 100 OHMS
EBONITE SHEETS/TUBES ANY THICKNESS & DIA
EBONITE RODS 1/4" to 2"
ELECTRICAL TAPE B/H/F CLASS
ELECTRO MECHANICAL RELAYS AC/DC -
- 2/3/5/10/25 Amps.
ELECT. INSULATION REMOVER TO WORK ON -
- 230 V to Cs.
ELECTRIC HOT PLATE WITH TEMP. CONTROL
ELECTRIC KETTLE 2/3 & 5 PINT 1 to 3 KW
ELEMENT FOR KETTLE ESCORT MAKE 1 to 2 KW
ELEPHANTIDE SHEET (IMPORTED)
EMERGENCY LIGHT WITH BATTERY
EMPIRE SILK CLOTH & TAPE ANY SIZE
EMPIRE TAPE 1/2" to 1" (50 Mtrs. LENGTH)
EMPIRE CLOTH YELLOW/BLACK 5/7/10 mils
EMPIRE SLEEVING 0.05 to 25 mm
ENAMELLED IRON SHADE CONICAL SHAPE
ENERGY METER AC OR DC 5 to 50 AMP (KWH)-
- S.P. 3 PHASE
ENERGY REGULATORS (IMPORTED) -
- 15A 200/250 VOLT GRADE, 100 DIV.
EUREKA RESISTANCE WIRE & STRIPS ANY SIZE
EXHAUST FAN SIZE 6" to 36" 80 to 980W.
EPOXY AND POLYESTER RESINS AND COMPOUND
ENAMEL REMOVER

: F :

: F :

FAN PEDESTAL/TABLE 16" CABIN
FAN CEILING 36", 42", 48", 56" & 60"
FESTOON INDICATOR LAMPS ANY VOLTAGE
FIBRE GLASS COVERED CABLE ANY SIZE
FIBRE GLASS MICA SHEET .005" to .040" THICK
FIBRE VULCANISED SHEET 1/64" to 3/4"
FIBRE GLASS/CLOTH ANY THICKNESS
FIBRE GLASS TAPE 1/2" to 2"
FIBRE GLASS TUBES & SLEEVING -
- 0.5 to 25mm VARNISHED/UNVARNISHED
FIBRE SHEET 0.4 to 25.4mm THICK
FIBRE ROD 8" to 36" Length 3/16" to 1.1/2" Dia
FINNED AIR HEATER 1000W to 1500W
FLAG INDICATOR ANY NUMBER OR WAYS
FIXED FINGER CONTACT UPTO 100 HP
FLAME PROOF BULKHEAD FITTING & SWITCHES
FLAME PROOF BEND, ELBOW, JUNCTION BOX
FLAME PROOF CABLE & WIRE, CABLE GLAND
FLEXIBLE PVC WIRE 1 to 4 CORE -
- 250/450V/660/1100V
FLEXIBLE CONDUIT PIPE 1/2" to 2"
FLEXIBLE WIRES SINGLE & TWIN TWISTED
FLOOD LIGHT FITTINGS & GLASS ANY SIZE
FLOURESCENT TUBE 6" to 5" (10 to 80W)
FLOURESCENT TUBE HOLDER LOOK/ROTTER TYPE
FLUSH TYPE INDICATOR RED-GREEN-YELLOW
FLUSH TYPE SOCKET 5/15 AMP. 2/3 PIN 250V
FLUSH TYPE SWITCH & SOCKET COMBINED -
- 5/15A 2/3 PIN

E-mail= superelectrical@vsnl.net

E-mail: super23445306@gmail.com

Ph, 23445306

FAX; 022-2344 53 06

:: 3 ::

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

TELEPHONE : 2344 53 06

TELEFAX : 022 2344 53 06

: F :

FLUSH TYPE SWITCH 1 or 2 WAY 5/15 AMPS.
FLUXITE (COPPER) 500 gms. TIN
FLOAT SWITCH
FOOT SWITCH 3/5/15 A - LIGHT/HEAVY DUTY TYPE
FREQUENCY METER, INDICATING REED TYPE
FROSTED LAMP O W, 230 V
FULL WAVE BRIDGE, METAL RECTIFIER
FUSE LINKS UPTO 1000 AMPS. 600 V
FUSE ELEMENTS UPTO 33 KV J&P MAKE
FUSE UNIT CARRIER & BASE 15 to 300 A -
- BAKELITE & PORCELAIN
FUSE WIRE 1 to 50 SWG TINNED/SILVER COPPER
FIBREGLASS EPOXY LAMINATED SHEETS (ANY SIZE)
FIBREGLASS CORD
FIBREGLASS CLOTH WITH TEFLON COATED -
- (ANY THICKNESS)
FLAME PROOF STARTER D.B., ISOLATOR, SWITCH
- & CABLE

: G :

G.I. CONDUIT PIPE 3/4" to 2"
G.I. FLEXIBLE PIPE 3/8" to 2"
G.I. FLEXIBLE COUPLINGS 3/8" to 2" -
- (12 mm to 75 mm)
G.I. STAY WIRE ANY SIZE
G.O.D. AIRBREAK SWITCH 11 to 33 KV
GALVANOMETER 15-0-15, 30-0-30 G.
GANG PLATES/BOX UPTO 10 WAY
GEYSER (VERTICAL/HORIZONTAL TYPE) 1 to 6 KW
GLASS MICA TAPE 1/2" to 1" ANY LENGTH
GLASS CARTRIDGE FUSE 230/250 V -
- UPTO 100 M.A. to 50 AMP
GONG BELL, 4", 9", 12" - 230/250V

: H :

H.R.C. FUSE HOLDER 15/30/60/100 AMP.
H.R.C. FUSE "ENGLISH ELECTRIC LT/LK, -
- SIEMENS 15 to 300 A
H.T. EARTHING & DISCHARGING ROD
H.T. CABLE JOINT BOX 25 to 625 SQ.MM
HALOGEN LAMP ANY LENGTH 250 V
HAND RUBBER GLOVES PAIR 11/22 KV
HAND LAMP (BKT./RUBBER HANDLE)
HEAT CONTROL BOX & SWITCH
HEATER ELEMENT 100 to 3000W
HEATER FOR CHROMIC & SULPHURIC ACID
HEATER INDUSTRIAL 1000 to 6000 W
HEATER OIL IMMERSION 1000 to 4000 W
HEATING TAPE FLEXIBLE ANY WATTS & WIDTH
HOLDER 2/3 PIN BKT./PORC./BRASS
HOOTER (INDL.) 4" & 6" (6 to 250V)
HOOK UP WIRE (PVC) ANY SIZE & COLOUR
HOT PLATE (SINGLE/DOUBLE) 500 W to 1500 W -
- WITH TEMP. CONTROL
HOT AIR BLOWERS WITH ATTACHMENT
HYDROMETER "VICTOR" MADE IN U.S.A.
HYLAM SHEET/PAPER & FABRIC BASE ANY SIZE
HYLAM TUBES, RODS ANY SIZE
HALOGEN LAMPS ANY WATTAGE, 12 to 250V
LALOGEN LAMP TRANSFORMER -
(ANY WATTAGE & VOLTAGE)
HIGH TENSION PARA TAPE 11 KV -
- 19 mm WIDTH

: I :

IMMERSION HEATER 250 to 3000W
INDICATING LAMP BC OR SC
INDUSTRIAL TUBE LIGHT FITTING 2', 4' & 5'
INFRA RED LAMP & STAND 2500W 250V
INSULATING PAPER PRESH PAHAN & -
- LEATHEROID
INSULATING SLEEVING (EMPIRE/COTTON -
- UNVARNISH/VARNISH/F.G./P.V.C.)
INSULATING BLACK COTTON TAPE 1/2", -
3/4", 1". 10 & 25 Mtrs. LENGTH
INSULATING VARNISH GOLDEN/BLACK 1/5/20 Lts
INSULATING TESTER UPTO 5000 MEGAOHMS
INTER LOCK SWITCH 5/15 AMP. 250 V
IRON 450 W (AUTO/NON-AUTO)
IRON CONNECTOR 5 or 15 AMP (BKT./PORC.)
I/C SWITCH/FUSE DP, TP, 15A to 1000A
ISOLATOR DP OR T.P.N. SWITCH 15/500A

: J :

JEWEL LIGHT UNIT (RED, BLACK, GREEN, -
- BLUE, YELLOW)
JOINT CLIP - TIN 1" to 2.1/2" BRASS 1" to 3"
- ALUMINIUM 25 mm to 80 mm

: K :

K.W.H. (ENERGY) METER SINGLE/3 PHASE
KANTHAL WIRE DSD/A/A-1-GRADE ANY SWG
KIT-KAT FUSE PORC. 15A to 300A. -
- HC OR MEM TYPE
KNIFE SWITCH 15A to 1000A S.P./D.P./T.P.
KAPTON NON-ADHESIVE TAPE (ANY SIZE)
KAPTON ADHESIVE TAPE (ANY SIZE)
KAPTON FILM (ANY THICKNESS)

: L :

LT/LT REMOTE CONTROL UNIT PUSH BUTTON/
- ROTARY/LOCK TYPE
LT PLASTIC COMPOUND
LT PORCELAIN PIN/SHACKLE INSULATORS -
- VARIOUS SIZES
LT/HT INDOOR/OUTDOOR TYPE CABLE END -
- BOX 10 to 625 sq.mm.
LT/HT STRAIGHT CABLE BOX 10 to 625 sq.mm
LT/HT TEE TYPE BOXES 10 to 625 sq.mm
LAMP MV/HP UPTO 1000 W
LAMP BC, ES, SMBC, MES 2.5 to 250 V
LAMPS (CLEAR, FROSTED, COLOURED MILKY) -
- 110/230/250 VOLTS
LAMP HOLDER BKT./PORC./BRASS BC/ES
LAMPLOCK (KEY OR SPRING TYPE)
LEAD 100% (PURE)
LEAD FUSE WIRE 0.5A to 100A
LEAD COVERED HEATER FOR CHROMIC -
- & SULPHURIC ACID
LEATHEROID PAPER (IMPORTED) -
- 5/7/10/15 mils.
LEATHEROID WITH POLYESTER FILM -
- (PLASTIC COATED) 5 to 30 mils
LEATHEROID SANDWICH TYPE 5 to 30 mils

E-mail: super23445306@gmail.com

E-mail: super23445306@gmail.com

Ph. 23445306

FAX : 022-2344 53 06

:: 4 ::

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

TELEPHONE : 2344 53 06
TELEFAX : 022 -2344 53 06

LIGHTING ARRESTOR 11/22/33 KV
LIMIT SWITCHES SIEMENS/LTLK
LINE TESTER (PHILIPS) OR OTHER MAKE
LINKED POLE SWITCH WATER TIGHT 5/15 Amp.
LOW FREQUENCY PAIR CABLES FOR TELEPHONE -
- TELEGRAM EXCHANGE
LUGS (CABLE SOCKET) 2A to 1000A. Cu/Al.
LOOM SWITCH 5/15 AMP. 250 V.

: M :

MI/MC AMMETER/VOLTMETER ANY RANGE
M.S. SPACER 5/8" to 2" 1 to 6 WAY
M.S. BOX WITH COVER & KNOWCKOUTS
M.V. BALLASTS 80/125/250/400 W TAPED -
MANGANIN WIRE WITH D.S.C. 14 to 48 SWG
MALE FEMALE BKT. 5 Amps. 250 V.
MEGGER (INSULATION TESTER) -
- 500/1000 V. 5000 MEGAOHMS
MELINEX PAPER CLEAR/MILKY 2 to 30 mils
MERCURY SWITCH SINGLE WAY 5A 250V
MERCURY VAPOUR LAMP 80 to 1000W 250V
METAL CLAD PLUG 2/3 PIN-UP TO 200 Amps
MOTOR CONTROL SWITCH SP-TP
MICA WASHERS
MICA DUST
MICA FOLIUM
MICA PURE SHEET ANY SIZE
MICA TUBES ROUND/SQUARE 1/4" to 1"
MICA TAPE (PAPER OR SILK BACK) -
- 1/2" to 1" (CLASS B & F F/H)
MICANITE SHEET 20" x 40"/MOULDING/HARD
FLEXIBLE/GLASS 3 to 10 mils
MICRO TERMINAL WITH HOUSING OF ELECL. -
- POLLYPROPLENE
MICRO CONTROL SWITCH METAL CLAD/BKT.
MICROPHONE SHIELDED CABLE
MILI/MICRO VOLT/AMMETER AC/DC
MINATURE CIRCUIT BREAKERS SINGLE DOUBLE -
- & TRIPLE POLE 0.5 to 60A
MINIATURE AUTO BULBS 6, 12, 24 V
MINIATURE HOLDER PVC OR BKT. B.C./E.S.
MINIATURE LAMP 3, 6, 9, 12, 16 V MBC/MES -
- CLEAR/COLOUR
M L L BLANDED LAMP 160W 230/250V
MOLESKIN CLOTH (PLUMBING)
MOTOR 0.25 to 100 HP
MOTOR GENERATOR SET AC/DC
MOTOR STARTER D.O.L. OR STAR DELTA
MOTOR STARTING CONDENSOR 0-300 mfd
MOTOR TERMINAL BLOCK 4/5/6/8 STUD
MOVING DRUM CONTACT UPTO 100 H.P.
MULTIPLUG UNBREACABLE 5/15 A 2/3 PIN
MULTI STRANDED WIRE COPPER/AL.
MULTI - METER DIGITAL ELECTRONICS
MUSICAL CHIME. 250 VOLTS
MANILA CRAFT AND CREPE PAPERS

: N :

NEON JWEAL LIGHT 6 to 250 VOLTS
NEON LAMPS (OM/SWASTIK/CROSS) 0 WATTS
NEON DISCHARGE LAMPS 0 W to 250 V
NEON INDICATOR LIGHT 250 V BC/ES

: N :

NEON RODS/TUBES
NEON LINE/PHASE TESTER 0 to 5000 V
NUETRAL LINKS 15/600A
NICHROME WIRE/STRIP 8 to 50 SWG -
- WHITE/OXYDISES 80/20 COMPOSITION
NICKEL/CHROMIUM WIRE 80/20 3 to 30 SWG
NIGHT LAMP 250V 0 WATTS
NO VOLT COIL FOR D.O.L.
NOMEX PAPER 2, 3, 5, 7, 10 MILS
NOMEX/POLYSTER/NOMEX PAPER 0.22 to 0.4mm
NIPPLE (MALE & FEMALE) 3/4" to 2.1/2"
NYLON TAPE 1/2" to 2"
NYLON ROD 1" to 6"
NOMEX TAPE (ANY SIZE)

: O :

OBLONG METER SHUNT/SERIES TYPE
OBLONG BULK HEAD FITTING SUITABLE FOR -
- ANY LAMP BC/ES
OIL IMMERSION HEATER 1000/9000 W
OIL PAPER 5 to 60 MILS. THICK
OPERATING ROD 11, 22 & 33 KV
OUTDOOR STREET LIGHT & FLOOD LIGHT FTG.
OVER HEAD LINE MATERIALS 1 to 100A -
- 11/22/33 KV
OVEN 600 to 1200W 250/500V
OVERLOAD THERMAL RELAY FOR STARTER

: P :

PVC AL. WIRE PVC SINGLE/PVC TO PVC -
- TWIN CORE SIZE 1.5 mm² to 10 mm²
PVC VIR 250 V VARIOUS SIZES
PVC ADHESIVE ELEC. TAPE 1/2" to 1"
PVC Al./Cu. WIRE VARIOUS SIZE
PVC BEND 1/2" to 2"
PVC CABLE (UNDERGROUND/ARMoured/ -
- UNARMoured) 2/3/4 CORE ANY SIZE
PVC CONNECTOR 5/15A 12 WAY
PVC COUPLING 20/63 mm
PVC CHECK NUT 1/2" to 2"
PVC ELBOW 20 mm to 63 mm
PVC FLEXIBLE WIRE 1 to 12 CORES -
- 250/450 V 660/1100 V
PVC FLEXIBLE PIPE 1/2" to 3"
PVC FLAT LIGHT/HEAVY/SUPER HEAVY WIRE
PVC FLEXIBLE TIN. COPPER 1 to 10 -
- CORE ROUND WIRE
PVC HEAT SEALING TAPES -
- (COLOUR RED, BLACK, GREEN, BLUE, YELLOW)-
- ANY WIDTH & LENGTH
PVC INSULATED CABLES FLEXIBLE & MULTI CORE
- ROUND 250/440/650/1100 VOLTS GRADE -
- 1 to 4 CORE & TWIN TWISTED) -
- (VARIOUS SIZES) 3.5 to 30 AMP. CAP.
PVC INSULATED STRANDED CU.CONDUCTOR -
- WIRE UNSHEATHED 250/660V SHETH.
PVC INSULATED SWITCH BOARD CABLES
PVC INSULATED WIRE WITH BARE COPPER -
- CONDUCTOR (UPTO 4 CORE TWISTED)
PVC WELDING CABLE (ANY CAPACITY)
PVC SADDLE 5/8" to 2"

E-mail: superelectrical@vsnl.com
E-mail: super23445306@gmail.com

Ph. 23445306

SUPER ELE FAX; 022-2344 53 06

:: 5 ::

TELEPHONE : 2344 53 06

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

TELEFAX : 022 2344 53 06

: P :

PVC INSULATED & PVC SHEATHED WORKSHOP -
- FLEXIBLE WIRE
PVC INSULATED TELEPHONE WIRE -
- (TINNED COPPER) TWIN/FLAT/TWISTED
PVC JUNCTION BOX 5/8" to 2.1/2"
PVC CONDUIT PIPE 1/2" to 2"
PVC PERFORATED BINDING STRAP
PVC SLEEVING ASSORTED COLOURS 1 to 50 mm
PVC TAPES TRANSPERENT/COLOURED -
- 1/2", 3/4", 1" WIDTH
PVC TEE 20 mm to 63 mm
PVC TRAILING CABLE WITH Cu.CONDUCTOR -
- 650/1100 V. 3/4 CORES 6 to 35 sq.mm
PVC WEATHER PROOF AL. CONDUCTOR 1/2 CORES
PANEL METERS ANY SIZE & RANGE
PANEL BOARD WIRING SOLID COPPER CONDUCTOR-
600 V Size 1.5 mm² to 10 mm²
PAPER CAPACITOR 1 to 36 mfd. 250/400 V.
PARA TAPE 11 KV TESTED 3/4"
PARABOLIC REFLECTOR (SHORT FOCUS)
PENDENT HOLDER BKT./BRASS/AL.NARROW CAP
PERSPEX ACRYLIC (TRANSPERENT) RODS ANY DIA
PERSPEX SHEET (TRANSPERENT) ANY SIZE
PHASE SEQUENCE INDICATOR 3 PHASE
PIANO TYPE SWITCH 5/15 AMP. 250V
PIGMY LAMP BC/ES 5/15 W 110/250 V
PILOT LAMP & HOLDER VARIOUS SIZES
PIN INSULATOR UPTO 33 KV WITH HARDWARE
PLASTIC CONNECTOR STRIP UPTO 12 WAY &
- 15 AMP.
PLASTIC COMPOUND (HENNLEY)
PLASTIC TERMINAL (RED & BLACK) - 5/15 A
PLATINUM PLATE U.H.P.
PLATINUM THERMOCOUPLE WIRE PURITY -
- 99.95% 24 to 26 SWG
PLUG TOP 2 AND 3 PIN 5/15 AMP.
PLUMBING MOLESKIN CLOTH (IMPORTED)
PLUMBING SOLDER (WHITE METAL)
POLY PROPLINE SHEETS
POLYESTER FILM CLEAR/MILKY 2 to 40 MILLS
POLYESTER FILLED (H.D.) CHOKES (Al./Cu.)
POLYTHENE INSULATED & PVC SHEATHED FEEDER-
- WIRE (T.V. ANTEENA WIRE) CTS TYPE
POLYSTER BASE INSULATED WINDING WIRE -
- 28 to 52 SWG
PORCELIEN BASE SWITCH ROUND/SQUARE 5/15 AMP
PORCELIEN BEADS 1 to 13 Nos. IMPORTED
PORCELIEN CONNECTOR 5/15/30A 1 to 4 WAY
PORCELIEN CUT OUT 15 to 1000A 250/500V
PORCELIEN FUSE BASE & CARRIER 15 to 300A
PORCELIEN LAMP HOLDER BATTEN PENDENT -
- (BC/ES)
PORCELIEN PLATE FOR ELEC. HEATER ANY DIA
PORCELIEN TUBE ANY SIZE & DIA
PORCELIEN TUBULAR ELEMENT 5/8" DIA 1000W
POTENTIAL TRANSFORMER ANY RANGE
POWER FACTOR METER SINGLE 3 PHASE
POWER PLUGS & CABLE CLAMPS 5/15A -
- (1/2/3 POLES)
POWER PLUG & SOCKET BKT./I.C./M.C. -
UPTO 100 A.

PRESHPAN PAPER 2 to 60 MILS IMPORTED
PRESSURE SWITCHES 6A CUTIN/CUT OUT
PROJECTOR BULBS UPTO 1000W 6 to 250V
PULL AND PUSH TYPE MAIN SWITCH (PORC.15A)
PUSH BUTTON STARTER (D.O.L.) ANY RANGE
PUSH BUTTON SWITCHES & STATION -
- 2 A 250/440/500 V
PTFE TEFLON SLEEVING, TAPE (ANY SIZE)
PRESS BOARDS (ANY THICKNESS)
PLICA PIPEOE 1/2" to 3"

: R :

RASIN FLUX (500 GMS TIN) FOR COPPER
RADIO LAMPS ROUND/TUBULAR
RADIO-DIX 5 AMP, NICKEL/BRASS PARTS
RAWL. PLUGS, ANY LENGTH ANY NUMBERS
RECTIFIERS FOR ELECTRO PLATING
RED FIBRE RODS ANY DIA & LENGTH
REDUCING SOCKET (MALE & FEMALE) -
- 1" x 3/4" to 2.1/2" x 2")
REDUCING CAUPLING (MALE & FEMALE)
- 3/4" x 1/2" to 3" x 2"
REDUCING NIPPLES (MALE & FEMALE)
- 3/4" x 1/2" to 2" x 1.1/2"
REDUCER (MALE & FEMALE) -
- 3/4" x 1/2" to 2.1/2" x 2"
REFLECTOR LANTERN 80/400 W -
- (M.V. DISCHARGE LAMP)
REFRACTORIES WITH LOCK OPEN SLOT
- 7/8" x 1 to 4 x 3"
REFLECTOR ANY SIZE
REGID PVC SHEET 1 x 2 MTRS -
- 1.5 to 19 mm THICK
REGULATOR FOR FAN UPTO 60"
RELAY FOR OVER TRIPPING (STARTER)
RESIN CORD SOLDER 8 to 24 SWG
- WIRE 40/60, 50/50, 60/40 TIN/LEAD
RESISTANCE WIRE 8 to 40 SWG
REVERSE FORWARD SWITCH 5/15 AMP -
- SINGLE / 3 PHASE
REVERSING SWITCH 5/15A SP/3 PH
RING ELEMENT 350 to 1750 W
ROOM HEATER 1000 W 250 V
ROTARY SWITCH (UPTO 8 WAY) -
- GERMAN MAKE S.P./T.P. 10/500A
RUBBER GLOVES PAIR SHOCK PROOF -
- (11/22 KV) ANY LENGTH
RUBBER MAT (ELECTRICAL GRADE) -
- UPTO 33 KV CHACKERED
RUBBER TAPE, "MILLION" MADE IN JAPAN
RUBBER MOULDED PLUG & SOCKETS
RUBY MICA BLOCK 4" x 4" to 12" to 12"

: S :

SRBP ROUND TUBE 3.1 to 17.5 mm -
- I.D. 1/8" to 11/16"
S.C.C. (ENAMELLED WIRE) ANY SIZE
S.P. SWITCH (FLUSH TYPE 1/2 WAY) -
- CONCEALED/ROUND/OBLONG
SCREW DRIVER ISULATED (ELECTRICIAN)
SCHANGLER PVC CORRUGATED TUBE UPTO 3"

E-mail: super23445306@gmail.com

E-mail: superelectrical@vsnl.net

Ph, 23445306

FAX; 022-2344 53 06

:: 6 ::

TELEPHONE : 2344 53 06

TELEFAX : 022-2344 53 06

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

: S :

SEARCH LIGHT LAMP ANY AMP. & VOLTS
SELENIUM RECTIFIER BRIDGE
SHACKLE INSULATOR UPTO 33 KV
SHEET METAL BOXES ANY SIZE
SHIELDED CABLES PVC INSULATED
SHUNT CAPACITOR UPTO 1000 HP
SIGNAL INDICATOR 1 to 6 WAY 250 V 50 c/s
SILICA TUBES FOR HIGH TEMP
SILK TAPE 1/2" to 2" x 50 Mtrs.
SILICON VARNISHED TAPES 0.08 to 0.25 THICK -
- 1.2" to 1"
SILICON DIODES
SILICA CASED HEATERS 1000/3000 W
SIGNAL CABLES ANY SIZE
SIMMERSTAT SUNVIC TYPE
SIREN 1 to 10 MILES HORIZONTAL/VERTICAL
SLOW BLOW GLASS FUSE 2 Amp.
SLYD LOCK FUSE SIDE/BACK CONNECTION
SOCKET 2/3 PIN 5/15 AMP BKT. & PORC.
SOCKET ADOPTER 5 AMP. 250 V
SOLDERING FLUX Cu./Al.
SOLDERING GUN ELECTRIC 100/125 W 250 V
SOLDERING IRON 15 to 1000W 250V
SOLDERING STICKS 10% to 100% TIN
SOLDERING WIRE 10 to 24 SWG 3 CORE
SODIUM VAPOUR LAMP WITH JACKET 65 W
SOLDERING AL. TUBULAR CABLE
SOCKET 4 SQ.MM to 240 SQ.MM.
SPARES FOR OSR STARTER
SPARES KIT FOR A.B. CONTACTOR
SPLIT INSULATORS WITH BRASS PIN -
- (SINGLE/DOUBLE) 5/15 AMPS
STAGE FOCUS LIGHT
STARTING & RUNNING CAPACITOR (IMPORTED) -
- 400 V 2 to 100 MFD
STAR DELTA STARTER 5 to 20 HP -
- (MANUAL/AUTOMATIC/OIL/IMMERSED)
STARTER 20W, 40, 80W 250V 2/4 PIN
STARTER SHEET BKT. & WHITE UREA
STRIP CONNECTORS 5/30 A PVC/BKT. -
- UPTO 12 WAY
STEEL CONDUIT 5/8" to 2" DIA x 10' LENGTH
STRIP ELEMENT 325 to 1200W
STRIP HEATERS 400 to 1200W 250V -
- 9" to 33" LENGTH
STORAGE WATER HEATERS WITH TANK -
- 80 to 100 LTRS.
STRAIN INSULATOR PORCELAIN
STREET LIGHT FITTING SINGLE/TWIN
SUPER ENAMELLED (Cu./Al.) WIRE -
- 8 to 51 SWG
COTTON/PAPER COVERED FINE/MEDIUM/THICK -
- ENAMELLED
SWITCH BOARD T.W. DOUBLE WITH BASE
SWITCH BKT. & PORC. BASE 5A & 15A
SWITCH ICTP & DP 15A to 600A 250/600V
SYNDANIO SHEETS & ROD 1/6" to 2" -
- (SWEEDEN MADE)

: S :

S.V. LAMP ANY WATTAGE & VOLTAGE
S.V. BALLAST ANY WATTAGE & VOLTAGE
SILICONE RUBBER CABLE ANY CORE & SIZE
SUPER FINE COTTON TAPE ANY SIZE
SUMMERSIBLE FLAT THREE CORE WIRE ANY -
- VOLTAGE

: T :

T.C. FUSE WIRE 15 to 40 SWG
T.R.S. CABLES 2/3/4 CORE 1100V GRADE
T.W. BATTEN 1/2" to 2" (VARNISHED)
T.W. BOARDS SQUARE & OBLONG POLISHED
T.W. CAUSING CAPPING 1.1/2" x 1/2" or 5/8"
T.W. ROUND BLOCK 3" x 3.1/2", 4" x 1"
TAIL LAMP 6/12V. 0.6 to 36 W
TECHOMETER IMPORTED DIGITAL
TEE INSPECTION 1/2" to 3"
TEFLON ROD SIZE 12" LONG AND DIA
TEFLON SEALENT TAPE IN 10 MTRS ROLL -
- 1/2" to 1"
TEFLON SHEET SIZE 12" x 12"
TEFLON (P.T.F.E.) INSULATED WIRE & CABLES
TEFLON (P.T.F.E.) INSULATED FIBRE GLASS -
- CLOTH & TAPE
TEFLON TUBINGS ANY DIA & LENGTH
TELEPHONE SWITCH BOARD LAMP 24V
TELEPHONE JUMPER WIRE 20 to 25 SWG
TELEPHONE WIRE & CABLE UPTO 100 PAIRS
TELEPHONE PVC ARMOURED/UNARMOURED -
- UNDERGROUND CABLE UPTO 100 PAIRS
TEN-K DIX NICKEL/BRASS PARTS
TERMINAL STRIPS 1 to 16 WAY ANY AMP.
TERMINAL BLOCK 5 to 1000 AMPS. UPTO 12 WAY
TEST PRODS FOR MEASURING INSTRUMENT
THERMAL SWITCH ANY AMP. & VOLTAGE
THERMOSTATE (ENGLISH) UPTO 600V
THERMOCOUPLE BARE WIRE 10 to 30 SWG -
- (10% to 99.99%)
TIMERS 15/30/60/100 MINUTES RANGE
TIN 100% (PURE)
TINNED COPPER FUSE WIRE (1 to 100A)
TOASTER AUTOMATIC 2 or 4 SLICE
TOGGLE SWITCHES 5/15A AC/DC-SP/DP/TP
TONG TESTER 0 to 1000A 600V
TRANSFORMER ANY VOLTAGE STEP UP/DOWN
TRANSFORMER STAMPING E & I SHAPE
TRIFLEXIL PAPER 2,3,5,7,10,15,10 MILS
TROPODOUR CABLES 650/1100V 1 to 4 CORE -
- COPPER/ALUMINIUM
TUBELIGHT HOLDER LOCK/ROTOR TYPE -
- IRON/BRASS PARTS
TUBELIGHT STARTER 20/40W 110/250V
TUNGSTON WIRE (HIGH TEMPERATURE) ANY SWG
TEFLON ADHESIVE TAPE (ANY SIZE)
TEFLON COATED FIBREGLASS CLOTH -
- (ANY THICKNESS)
TRAILING CABLE ANY CORE & SIZE

....7.....

E-mail: super23445306@gmail.com

E-mail: super23445306@gmail.com

FAX: 022-2344 53 06

:: 7 ::

Ph. 23445306

TELEPHONE : 2344 53 06
TELEFAX : 022 2344 53 06

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

: U :

ULTRA VIOLET LAMP & TUBES
ULTRA VIOLET TUBE FITTINGS
UNDER GROUND CABLE ARMoured/
- UNARMoured/COPPER/ALUMINIUM


: V :

VOLTMETER AC/DC VARIOUS DIAL 0-600V
VARNISH AMBER/BLACK/CLEAR/GOLDEN
VARNISHED PAPER 40 MILS THICK
VARNISHED SILK CLOTH 3,4,5,7,10 MILS
VOLTAGE SELECTOR SWITCH
VOLTAGE STABILIZER AC/DC


: W :

WALL SOCKET BKT./PORC 5/15 AMPS
WATER PROOF WHITE TAPE 0.5 to 25 mm
WATER HEATERS (COMMERCIAL 500 to 6000W -
- INDL. 2000 to 12000W
WEAK BACK OPEN CRIMPING FERRULES -
- 6 sq.mm to 625 sq.mm
WATER TIGHT BRACKET & FITTINGS -
- BRASS/IRON
WATER TIGHT SWITCH 5A & 15A BKT./PORC.
WATT METER SINGLE/3 PHASE ANY RANGE
WELDING CABLE UPTO 600 AMP. Cu./Al.
WHITE UREA WALL PLATES & BOXES -
WIPING CLOTH
WIPING GLAND (FOR PILCDASTA CABLE) -
- 10 to 500 mm
WIRE ROPE (STEEL) ANY DIA.
WINDING MACHINE UPTO 4 COILS
WINDING SUPERENAMELLED COPPER WIRE
WEBBING TAPE ANY SIZE


H.R.C. FUSES



INSULATION TESTER (MAGGER)



CABLE



E-mail: super23445306@gmail.com

E-mail: superelectrical@vsnl.net

Ph, 23445306

FAX: 022-2344 53 06

:: 8 ::

SUPER ELECTRICAL INSULATING CO., BOMBAY - 400 003.

TELEPHONE : 2344 53 06
TELEFAX : 022-2344 53 06

:: LIST OF MATERIALS IN SHORT ::

BATTERY CHARGER, ELIMINATOR

BAKELITE ACCESSORIES

BELL, BUZZER & SIREN

CABLES AND WIRES

CABLES & WIRES FITTINGS

CONDUIT PIPE & ACCESSORIES

(C.I. & P.V.C.)

COPPER & SUPER ENAMEL WIRE

DOMESTIC APPLIANCES & HEATER

FANS & MOTOR

FLAME PROOF ACCESSORIES

INDUSTRIAL COMPONENTS

INSULATING MATERIALS

LAMP, TUBE & FITTING

OVERHEAD LINE MATERIALS

RESISTANCE, FURNACE &

THERMOCOUPLE WIRE

SOLDERING MATERIALS


STARTER AND SPARES

SWITCHGEARS


TESTING & MEASURING INSTRUMENTS

WOODEN FITTING ARTICLES

FLAME PROOF EQUIPMENTS CERTIFIED BY CMRS. DHANBAD.



RELIABLE HOUSE FOR IMPORTED & INDIAN PRODUCTS.



M.C.B.

TIME SWITCH

AVAILABLE ALL TYPE OF H.R.C. FUSES & ACCESSORIES.




ATAL




A.C. MOTOR START CAPACITORS



VOLTAGE STABILISER



SWITCH



A CUSTOMER IS THE MOST IMPORTANT VISITOR ON OUR PREMISES
HE IS NOT DEPENDENT ON US.
WE ARE DEPENDENT ON HIM.
HE IS NOT AN INTERRUPTION ON OUR WORK.
HE IS NOT AN OUTSIDER ON OUR BUSINESS
HE IS A PART OF IT.
WE ARE NOT DOING HIM A FAVOUR BY SERVING HIM
HE IS DOING US A FAVOUR BY GIVING US AN OPPORTUNITY TO DO SO.